

DAILY FLASH REPORT FOR : 21-Jan-20

|             | ITEM              | Jan'19 Act.    | Monthly Target ('000 T) APP | Avg. Daily Target APP (T) | Actual Production On Date (T) | Cumulative (T)  | M/Rate ('000T) | % Ful. w.r.t. APP |      |    |
|-------------|-------------------|----------------|-----------------------------|---------------------------|-------------------------------|-----------------|----------------|-------------------|------|----|
| BSP         | Ov.Pushing(nos.)  | 698            | 764                         | 764                       | 620                           | 12768           | 608            | 80                |      |    |
|             | SINTER            | 588            | 850                         | 27419                     | 20679                         | 452413          | 668            | 79                |      |    |
|             | HM                | 406            | 584                         | 18839                     | 13675                         | 284942          | 421            | 72                |      |    |
|             | PI                | 13             | 0                           | 0                         | 0                             | 9937            | 15             |                   |      |    |
|             | CS                | 377            | 561                         | 18097                     | 13974                         | Blows: 10+59+29 | 268340         | 396               | 71   |    |
|             | SMS-1             | 158            | 74                          | 2387                      | 2470                          | Heat: 10        | 53880          | 80                | 107  |    |
|             | SMS-2 CC          | 182            | 249                         | 8032                      | 6785                          | Cast: 59        | 117025         | 173               | 69   |    |
|             | SMS-3 CC          | 37             | 238                         | 7677                      | 4719                          | Cast: 29        | 97435          | 144               | 60   |    |
|             | BBM-Ingot rolling | 157            | 74                          | 2387                      |                               | 2298            | 52422          | 77                | 105  |    |
|             | RSM               | 73             | 75                          | 2419                      |                               | 3099            | 52926          | 78                | 104  |    |
|             | URM               | 44             | 80                          | 2581                      |                               | 1794            | 39058          | 58                | 72   |    |
|             | MM                | 55             | 60                          | 1935                      |                               | 1801            | 31324          | 46                | 77   |    |
|             | WRM               | 39             | 48                          | 1548                      |                               | 1067            | 21623          | 32                | 66   |    |
|             | BRM               | 0              | 67                          | 2161                      |                               | 929             | 15907          | 23                | 35   |    |
|             | PLATE MILL        | 17             | 60                          | 1935                      |                               | 3099            | 60444          | 89                | 149  |    |
|             | SEMIS             | 68             | 110                         | 3548                      |                               | 1895            | 23421          | 35                | 31   |    |
|             | FIN. STEEL        | 229            | 390                         | 12581                     |                               | 11789           | 221282         | 327               | 84   |    |
| SS-PROD.    | 297               | 500            | 16129                       |                           | 13684                         | 244703          | 361            | 72                |      |    |
| SS-DESP.    | 323               | 500            | 16129                       |                           | 11437                         | 247956          | 366            | 73                |      |    |
| DSP         | Ov.Pushing(no)    | 317            | 343                         | 343                       | 315                           | 7119            | 339            | 99                |      |    |
|             | SINTER            | 250            | 304                         | 9806                      |                               | 10533           | 199393         | 294               | 97   |    |
|             | HM                | 207            | 235                         | 7581                      |                               | 7505            | 145137         | 214               | 91   |    |
|             | PI                | 9              | 2                           | 48                        |                               | 0               | 158            | 0                 |      |    |
|             | CS                | 176            | 214                         | 6903                      | 7080                          | Blows: 59       | 133218         | 197               | 92   |    |
|             | CC Billet         | 97             | 100                         | 3226                      | 3360                          | Cast: 28        | 60430          | 89                | 89   |    |
|             | CC Bloom          | 49             | 53                          | 1710                      | 1800                          | Cast: 15        | 35542          | 52                | 99   |    |
|             | BRC               | 23             | 56                          | 1806                      | 1560                          | Cast: 13        | 33287          | 49                | 88   |    |
|             | MM                | 21             | 32                          | 1032                      |                               | 1172            | 20853          | 31                | 96   |    |
|             | SM                | 11             | 13                          | 419                       |                               | 669             | 8820           | 13                | 100  |    |
|             | MSM               | 16             | 35                          | 1129                      |                               | 623             | 15439          | 23                | 65   |    |
|             | W&A               | 2              | 3                           | 86                        |                               | 89              | 1604           | 2.4               | 89   |    |
|             | SEMIS             | 116            | 124                         | 4010                      |                               | 4420            | 80390          | 119               | 95   |    |
|             | FIN. STEEL        | 50             | 83                          | 2668                      |                               | 2553            | 46721          | 69                | 83   |    |
|             | SS-PROD.          | 166            | 207                         | 6677                      |                               | 6973            | 127111         | 188               | 91   |    |
|             | SS-DESP.          | 177            | 207                         | 6677                      |                               | 8327            | 131623         | 194               | 94   |    |
|             | RSP               | Ov.Pushing(no) | 506                         | 456                       | 456                           | 479             | 9905           | 472               | 104  |    |
| SINTER      |                   | 596            | 545                         | 17581                     |                               | 17771           | 344143         | 508               | 93   |    |
| HM          |                   | 362            | 335                         | 10806                     |                               | 10719           | 211421         | 312               | 93   |    |
| PI          |                   | 13             | 3                           | 111                       |                               | 0               | 2098           | 3                 |      |    |
| CS          |                   | 344            | 331                         | 10677                     | 10947                         | Blows: 17+64    | 209816         | 310               | 94   |    |
| SMS-1 CC    |                   | 39             | 33                          | 1065                      | 1130                          | Cast: 17        | 19354          | 29                | 87   |    |
| SMS-2 CC    |                   | 305            | 298                         | 9613                      | 9817                          | Cast: 64        | 190462         | 281               | 94   |    |
| PLATE MILL  |                   | 41             | 44                          | 1419                      |                               | 1855            | 34382          | 51                | 115  |    |
| New PM      |                   | 80             | 66                          | 2129                      |                               | 2080            | 54548          | 81                | 122  |    |
| HSM         |                   | 138            | 176                         | 5677                      |                               | 6077            | 92801          | 137               | 78   |    |
| CR Saleable |                   | 12             | 14                          | 452                       |                               | 325             | 5066           | 7                 | 53   |    |
| CRNO        |                   | 5              | 5                           | 171                       |                               | 153             | 1777           | 3                 | 49   |    |
| SEMIS       |                   | 53             | 0                           | 0                         |                               | 0               | 0              | 0                 |      |    |
| FIN. STEEL  |                   | 259            | 290                         | 9355                      |                               | 8628            | 174759         | 258               | 89   |    |
| SS-PROD.    |                   | 311            | 290                         | 9355                      |                               | 8628            | 174759         | 258               | 89   |    |
| SS-DESP.    |                   | 283            | 290                         | 9355                      |                               | 10245           | 179774         | 265               | 92   |    |
| BSL         |                   | Ov.Pushing(no) | 454                         | 474                       | 474                           | 450             | 9053           | 431               | 91   |    |
|             | SINTER            | 493            | 558                         | 18000                     |                               | 14495           | 314622         | 464               | 83   |    |
|             | HM                | 352            | 411                         | 13258                     |                               | 13104           | 232629         | 343               | 84   |    |
|             | PI                | 8              | 1                           | 36                        |                               | 372             | 7063           | 10                |      |    |
|             | CS                | 322            | 394                         | 12710                     | 11227                         | Blows: 12+35    | 207384         | 306               | 78   |    |
|             | SMS-1             | 45             | 0                           | 0                         | 1548                          | Blows: 12       | 16782          | 25                |      |    |
|             | SMS-2 CC          | 274            | 322                         | 10387                     | 9679                          | Blows: 35       | 190602         | 281               | 87   |    |
|             | SM                | 32             | 0                           | 0                         |                               | 1170            | 14494          | 21                |      |    |
|             | HSM               | 264            | 384                         | 12387                     |                               | 8619            | 190748         | 282               | 73   |    |
|             | CRM-1.2           | 66             | 115                         | 3710                      |                               | 823             | 18149          | 27                | 23   |    |
|             | CRM-3             | 30             | 95                          | 3065                      |                               | 1553            | 24982          | 37                | 39   |    |
|             | CR saleable       | 96             | 210                         | 6774                      |                               | 2376            | 43131          | 64                | 30   |    |
|             | SEMIS             | 0              | 7                           | 226                       |                               | 0               | 0              | 0                 | 0    |    |
|             | FIN. STEEL        | 282            | 360                         | 11613                     |                               | 8965            | 172962         | 255               | 71   |    |
|             | SS-PROD.          | 282            | 367                         | 11839                     |                               | 8965            | 172962         | 255               | 70   |    |
|             | SS-DESP.          | 284            | 367                         | 11839                     |                               | 10289           | 214654         | 317               | 86   |    |
|             | ISP               | Ov.Pushing(no) | 275                         | 275                       | 275                           | 243             | 5788           | 276               | 100  |    |
| SINTER      |                   | 341            | 325                         | 10495                     |                               | 12738           | 232225         | 343               | 105  |    |
| HM          |                   | 230            | 225                         | 7258                      |                               | 8252            | 158992         | 235               | 104  |    |
| PI          |                   | 4.99           | 1                           | 41                        |                               | 313             | 6939           | 10                |      |    |
| CS          |                   | 200            | 210                         | 6774                      | 7490                          | Heat: 50        | 135970         | 201               | 96   |    |
| CC          |                   | 200            | 210                         | 6774                      | 7490                          | Cast: 50        | 135970         | 201               | 96   |    |
| WRM         |                   | 29             | 44                          | 1419                      |                               | 936             | 21410          | 32                | 72   |    |
| Bar Mill    |                   | 59             | 69                          | 2226                      |                               | 332             | 34614          | 51                | 74   |    |
| USM         |                   | 27             | 50                          | 1613                      |                               | 945             | 8589           | 13                | 25   |    |
| SEMIS       |                   | 87             | 39                          | 1260                      |                               | 5941            | 60699          | 90                | 229  |    |
| FIN. STEEL  |                   | 116            | 163                         | 5258                      |                               | 2212            | 64613          | 95                | 59   |    |
| SS-PROD.    |                   | 203            | 202                         | 6518                      |                               | 8154            | 125312         | 185               | 92   |    |
| SS-DESP.    |                   | 196            | 202                         | 6518                      |                               | 4787            | 136731         | 202               | 100  |    |
| 5 Plants    |                   | Ov.Pushing(no) | 2250                        | 2312                      | 2312                          | 2107            | 44633          | 2125              | 92   |    |
|             |                   | HM             | 1558                        | 1790                      | 57742                         |                 | 53255          | 1033121           | 1525 | 85 |
|             |                   | PI             | 48                          | 7                         | 236                           |                 | 685            | 26195             | 39   |    |
|             |                   | CS             | 1418                        | 1710                      | 55161                         |                 | 50718          | 954727            | 1409 | 82 |
|             | CC                | 1207           | 1559                        | 50290                     |                               | 46340           | 880106         | 1299              | 83   |    |
|             | SS-PROD.          | 1258           | 1566                        | 50518                     |                               | 46403           | 844846         | 1247              | 80   |    |
|             | SS-DESP.          | 1262           | 1566                        | 50518                     |                               | 45085           | 910737         | 1344              | 86   |    |
| ASP         | CS                | 10             | 9                           | 297                       | 314                           | Heat: 6         | 5484           | 8                 | 88   |    |
|             | CC                | 1              | 1                           | 27                        |                               | 0               | 102            | 0                 | 18   |    |
|             | SS-PROD.          | 8              | 11                          | 362                       |                               | 292             | 6442           | 10                | 85   |    |
|             | SS-DESP.          | 9              | 11                          | 362                       |                               | 108             | 5486           | 8                 | 72   |    |
| SSP         | CS                | 13             | 15                          | 484                       | 247                           | Heat: 4         | 5667           | 8                 | 56   |    |
|             | HRM               | 28             | 35                          | 1113                      | 701                           | CS: 0           | 19183          | 28                | 82   |    |
|             | SS-PROD.          | 28             | 34                          | 1081                      | 158                           | CS: 0           | 13999          | 21                | 62   |    |
|             | SS-DESP.          | 24             | 34                          | 1081                      |                               | 1337            | 14564          | 21                | 64   |    |
| VISL        | HM                | 0              | 0                           | 0                         |                               | 0               | 0              | 0                 |      |    |
|             | PI                | 0              | 0                           | 0                         |                               | 0               | 0              | 0                 |      |    |
|             | CS                | 0              | 0                           | 0                         | 0                             | Heat: 0         | 0              | 0                 |      |    |
|             | CC                | 0              | 0                           | 0                         |                               | 0               | 0              | 0                 |      |    |
|             | SS-PROD.          | 0              | 2                           | 66                        |                               | 32              | 278            | 0.4               | 20   |    |
|             | Sales             | 1              | 3                           | 94                        |                               | 112             | 1              | 0                 | 0    |    |
| SAIL        | Ov.Pushing(no)    | 2250           | 2312                        | 2312                      | 2107                          | 44633           | 2125           | 92                |      |    |
|             | HM                | 1558           | 1790                        | 57742                     |                               | 53255           | 1033121        | 1525              | 85   |    |
|             | PI                | 48             | 7                           | 236                       |                               | 685             | 26195          | 39                | 528  |    |
|             | CS                | 1440           | 1734                        | 55942                     |                               | 51279           | 965878         | 1426              | 82   |    |
|             | CC                | 1220           | 1575                        | 50802                     |                               | 46587           | 885875         | 1308              | 83   |    |
|             | SS-PROD.          | 1295           | 1613                        | 52027                     |                               | 46885           | 865565         | 1278              | 79   |    |
|             | SS-DESP.          | 1296           | 1614                        | 52055                     |                               | 46642           | 930788         | 1374              | 85   |    |

DAILY FLASH REPORT FOR : 21-Jan-20

\* All figures are indicative (for internal circulation only)

Coking Coal/ Raw Materials

| Category           | BSP             |         |          | DSP             |         |          | RSP             |         |          | BSL             |         |          | ISP             |         |          | Total           |              |               |
|--------------------|-----------------|---------|----------|-----------------|---------|----------|-----------------|---------|----------|-----------------|---------|----------|-----------------|---------|----------|-----------------|--------------|---------------|
|                    | Receipt On date | Stock   |          | Receipt On date | Stock   |          | Receipt On date | Stock   |          | Receipt On date | Stock   |          | Receipt On date | Stock   |          | Receipt On date | Receipt Cum. | Stock On date |
|                    |                 | On date | Nos days |                 | On date | Nos days |                 | On date | Nos days |                 | On date | Nos days |                 | On date | Nos days |                 |              |               |
| PCC                | 0               | 12371   | 0        | 0               | 1899    | 4        | 0               | 8855    | 12       | 0               | 10671   | 12       | 0               | 2400    | 7        | 0               | 33838        | 36196         |
| MCC                | 0               | 423     | 1        | 0               | 4519    | 16       | 0               | 4014    | 16       | 0               | 7890    | 15       | 0               | 0       | 0        | 0               | 18875        | 16846         |
| Total Indigenous   | 0               | 12794   | 0        | 0               | 6418    | 19       | 0               | 12869   | 28       | 0               | 18561   | 27       | 0               | 2400    | 0        | 0               | 52713        | 53042         |
| Imp. (Aus+LVHR)    | 7043            | 60456   | 12       | 0               | 8525    | 4        | 6680            | 63520   | 15       | 3322            | 32043   | 3540     | 17000           | 7       | 20585    | 321729          | 181544       |               |
| Imported (USH)     | 11622           | 33207   | 19       | 3584            | 2747    | 3        | 0               | 4146    | 8        | 1625            | 9035    | 9        | 0               | 5950    | 11       | 16831           | 108401       | 55085         |
| Imported (NZ)      | 0               | 0       | 0        | 0               | 0       | 0        | 0               | 0       | 0        | 0               | 0       | 0        | 0               | 0       | 0        | 0               | 0            | 0             |
| Imported (MZH)     | 0               | 36433   | 31       | 0               | 0       | 0        | 0               | 0       | 0        | 10951           | 11      | 0        | 7050            | 13      | 0        | 0               | 54434        |               |
| Imp. (Others)      | 0               | 0       | 0        | 0               | 0       | 0        | 0               | 0       | 0        | 12576           | 0       | 0        | 0               | 0       | 0        | 0               | 15573        | 12576         |
| Imported (Soft)    | 0               | 37062   | 13       | 0               | 4494    | 4        | 0               | 8272    | 4        | 2145            | 17132   | 0        | 10100           | 7       | 2145     | 121568          | 77060        |               |
| Imported (Total)   | 18664           | 167158  | 0        | 3584            | 15768   | 3        | 6680            | 75938   | 0        | 7092            | 81737   | 3540     | 40100           | 0       | 39560    | 567271          | 380701       |               |
| Total Coking Coal  | 18664           | 179952  | 15       | 3584            | 22186   | 4        | 6680            | 88807   | 10       | 7092            | 100298  | 10       | 3540            | 42500   | 8        | 39560           | 619984       | 433743        |
| CDI                | 3488            | 2396    | 1        | 0               | 3751    | 7        | 0               | 8112    | 5        | 0               | 1461    | 2        | -               | 7200    | 7        | 3488            | 22920        |               |
| BF Coke            | 0               | 89940   | 0        | 0               | 10465   | 0        | -               | 20437   | 0        | -               | 64036   | 0        | -               | 11211   | 0        | -               | 196089       |               |
| Iron Ore Lump      | 5265            | 36812   | 6        | 3705            | 16071   | 4        | 6898            | 8964    | 2        | 3920            | 23590   | 4        | 780             | 30987   | 16       | 20568           | 116424       |               |
| Iron Ore fines     | 19063           | 234200  | 18       | 5460            | 23062   | 3        | 12906           | 208780  | 18       | 11060           | 197802  | 15       | 6060            | 74448   | 11       | 54549           | 738292       |               |
| Blend Mix          |                 |         |          |                 | 47320   |          |                 | 122664  |          |                 |         |          |                 | 49020   |          |                 |              |               |
| Lime Stone BF      | 0               | 80478   | 0        | 0               | 1310    | 0        | 3812            | 18160   | 0        | 0               | 33859   | 0        | 0               | 205     | 0        | 0               | 134012       |               |
| Lime Stone SMS     | 0               | 39131   | 23       | 0               | 12289   | 11       | 0               | 23295   | 26       | 0               | 27130   | 19       | 3540            | 10100   | 0        | 0               | 111945       |               |
| Dolomite BF        | 475             | 46519   | 0        | 0               | 2201    | 0        | 2932            | 50920   | 0        | 0               | 13014   | 0        | 0               | 14602   | 0        | 0               | 127256       |               |
| Dolomite SMS       | 58              | 59159   | 16       | 0               | 2734    | 2        | 0               | 7058    | 3        | 0               | 19614   | 7        | 3600            | 8930    | 0        | 3658            | 5072         | 97495         |
| Boiler Coal (PP-1) | 0               | 17512   | 90       | 0               | 380     | 2        | 0               | 33729   | 40       | 6208            | 61109   | 12       | 0               | 30      | 0        | 6208            | 112760       |               |
| Boiler Coal (PP-2) | 0               | 37357   | 37       | 0               | 12065   | 6        | 0               | 91308   | 35       | -               | -       | -        | -               | -       | -        | 0               | 140730       |               |

Steel Stocks

| Category       | BSP       |         |           | DSP       |         |           | RSP       |         |           | BSL       |         |           | ISP*      |         |           | TOTAL     |         |           |
|----------------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|
|                | as on 1st | On date | Variation | as on 1st | On date | Variation | as on 1st | On date | Variation | as on 1st | On date | Variation | as on 1st | On date | Variation | as on 1st | On date | Variation |
| Semis          | 70142     | 60254   | -9888     | 62510     | 56409   | -6101     | 4359      | 1490    | -2869     | 0         | 0       | 41060     | 36797     | -4263   | 178071    | 154950    | -23121  |           |
| Finished       | 126451    | 133013  | 6562      | 20239     | 21828   | 1589      | 77271     | 75125   | -2146     | 136079    | 94387   | -41692    | 28519     | 30270   | 1751      | 388559    | 354622  | -33936    |
| Saleable steel | 196593    | 193267  | -3326     | 82749     | 78237   | -4512     | 81630     | 76615   | -5015     | 136079    | 94387   | -41692    | 69579     | 67067   | -2512     | 566630    | 509573  | -57057    |
| Slabs          | 67599     | 47579   | -20020    |           |         |           | 47440     | 59085   | 11645     | 26431     | 30293   | 3862      |           |         |           | 141470    | 136957  | -4513     |
| Ingot          | 642       | 1369    | 727       | 0         | 0       | 0         | 0         | 0       | 0         | 0         | 2288    | 2288      | 0         | 0       | 0         | 642       | 3657    | 3015      |
| Pig Iron       | 10202     | 12382   | 2180      | 3164      | 1857    | -1307     | 2310      | 2623    | 313       | 35389     | 31760   | -3629     | 4823      | 4988    | 165       | 55888     | 53610   | -2278     |

Power Generation

| Units       | BSP  |         |           | DSP  |         |           | RSP  |         |           | BSL  |         |           | ISP  |         |           | TOTAL |         |           |       |
|-------------|------|---------|-----------|------|---------|-----------|------|---------|-----------|------|---------|-----------|------|---------|-----------|-------|---------|-----------|-------|
|             | Plan | On date | Unit : MW | Plan | On date | Unit : MW | Plan | On date | Unit : MW | Plan | On date | Unit : MW | Plan | On date | Unit : MW | Plan  | On date | Unit : MW |       |
| PP 1        | 19   | 21      | 7         | 7    | 35      | 33        |      |         | 0         | 0    |         |           |      | 61      | 61        | STG   | 12.51   | 11.28     | 34.10 |
| PP 2 (JV)   | 36   | 68      | 118       | 113  | 118     | 126       | 219  | 147     |           |      |         |           |      | 79      | 90        | TRT   | 10.43   | 15.19     | 13.80 |
| PP-3 (JV)   | 444  | 179     |           |      |         |           |      |         |           |      |         |           |      | 770     | 606       | BPTG  | 2.97    | 3.09      | 0.00  |
| New P&BS    |      |         |           | 24   | 42      |           |      |         |           |      |         |           |      | 910     | 756       |       |         |           |       |
| Drawl       | 0    | 68      | 49        | 45   | 63      | 33        | 118  | 163     | 96        | 96   |         |           |      | 382     | 478       |       |         |           |       |
| Power Exch. |      |         |           |      |         |           |      |         |           |      |         |           |      | 0       | 57        |       |         |           |       |
| TOTAL       |      |         |           |      |         |           |      |         |           |      |         |           |      | 1292    | 1292      |       |         |           |       |

IMPORTED COAL LOADING AT PORT

| PORTS             | Port receipt as on 21.01.20 | Plan Avg/day | On date rakes loading | Cumm. Avg. rakes loading | BSP                     | DSP  | RSP   | BSL            | ISP      | DPL | NINL | AH  | CAN T/MZ/HIND TR | US (H) | NZ (H) | SOFT | CDI | TOTAL | PORTS   |  |
|-------------------|-----------------------------|--------------|-----------------------|--------------------------|-------------------------|------|-------|----------------|----------|-----|------|-----|------------------|--------|--------|------|-----|-------|---------|--|
|                   |                             |              |                       |                          |                         |      |       |                |          |     |      |     |                  |        |        |      |     |       |         | STOCK AT PORTS (000 T) AS ON 0600 HRS (22.01.20) |
| Plan              |                             |              |                       |                          |                         |      |       |                |          |     |      |     |                  |        |        |      |     |       |         |  |
| Vizag+ Gangavaram | 13838                       | 4.0          | 4.0                   | 3.3                      | 2 AH + 1 MZH + 1 AH/USH | 0    | 0     | 0              | 0        | 0   | 0    | 85  | 25               | 1      | 0      | 14   | 20  | 145   | VIZAG   |  |
| Paradip           | 25000                       | 2.2          | 3.0                   | 1.8                      | 0                       | 0    | 1 AH  | 1 KS + 1 AH/AS | 0        | 0   | 0    | 36  | 3                | 0      | 0      | 55   | 1   | 95    | PARADIP |  |
| Haldia + kolkata  | 0                           | 4.5          | 4.0                   | 4.1                      | 0                       | 1 AH | 1 PCI | 1 H            | 1 PCI/AH | 0   | 0    | 22  | 29               | 1      | 0      | 0    | 8   | 60    | HALDIA  |  |
| Dhamra            | 0                           | 2.2          | 1.0                   | 2.2                      | 0                       | 0    | 1 KS  | 0              | 0        | 0   | 0    | 59  | 33               | 16     | 0      | 103  | 3   | 214   | DHAMRA  |  |
| Total             | 38838                       | 12.9         | 12.0                  | 11.4                     | 4                       | 1    | 3     | 3              | 1        | 0   | 0    | 202 | 90               | 18     | 0      | 172  | 32  | 514   | Total   |  |

Loading (Indigenous Coal) (No. of Rakes)

| PLANT       | PCC   | MCC  | Total | Boiler Coal | Iron ore loading (RMD) |         |       |        |       |        |       |       |       |      |       |     |     |               |               |
|-------------|-------|------|-------|-------------|------------------------|---------|-------|--------|-------|--------|-------|-------|-------|------|-------|-----|-----|---------------|---------------|
|             |       |      |       |             | Plant                  | KBR/MBR |       | BOLANI |       | BARSUA |       | Kalra |       | MPR  |       | Gua |     | On date Total | Cum (Rks/day) |
| Lump        | Fines | Lump | Fines | Lump        | Fines                  | Lump    | Fines | Lump   | Fines | Lump   | Fines | Lump  | Fines | Lump | Fines |     |     |               |               |
| BSP         | 0.0   | 0.0  | 0.0   | 0.0         |                        |         |       |        |       |        |       |       |       |      |       |     |     |               |               |
| DSP         | 0.0   | 0.0  | 0.0   | 0.0         | DSP                    | 0.0     | 0.0   | 0.8    | 1.2   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0 | 0.0 | 2             | 1.2           |
| RSP         | 0.0   | 0.0  | 0.0   | 0.0         | RSP                    | 0.0     | 1.0   | 0.0    | 0.0   | 0.0    | 1.0   | 0.0   | 1.0   | 2.0  | 0.0   | 0.0 | 0.0 | 5             | 2.2           |
| BSL         | 0.6   | 0.0  | 0.6   | 2.4         | BSL                    | 1.0     | 2.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0 | 0.0 | 3             | 2.0           |
| ISP         | 0.0   | 0.0  | 0.0   | 0.0         | ISP                    | 0.0     | 0.0   | 0.0    | 2.0   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.8 | 2.2 | 5             | 1.0           |
| Total       | 0.6   | 0.0  | 0.6   | 2.4         | BSP                    | 0.0     | 1.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0 | 0.0 | 1             | 0.0           |
| Total Rakes |       |      | 3.0   |             |                        |         | 5     |        | 4     |        |       |       |       | 1    |       | 2   |     | 3             | 16            |

WAGON BALANCE

| Category   | BSP | DSP | RSP | BSL | ISP |
|------------|-----|-----|-----|-----|-----|
| Indigenous | 0   | 0   | NA  | 0   | 0   |
| Imported   | 65  | 0   | NA  | 0   | 0   |
| Boiler     | 0   | 0   | NA  | 0   | 0   |
| Iron Ore   | 135 | 100 | NA  | 0   | 0   |

Steel Stock at Special Steel Plant

| Category          | ASP       |         |           | SSP       |         |           | VISL      |         |           | ISP         |             | RSP         |             |
|-------------------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-------------|-------------|-------------|-------------|
|                   | As on 1st | On date | Variation | As on 1st | On date | Variation | As on 1st | On date | Variation | Stock (Old) | No. of days | Stock (New) | No. of days |
| Ingot             | N.A       | N.A     | N.A       | -         | -       | -         | N.A       | N.A     | N.A       | 7800        | 10          | 9200        | 6           |
| Slab              | NonSS/CS  | N.A     | N.A       | 6738      | 4371    | -2367     | -         | -       | -         | 2100        | 11          | 3850        | 11          |
|                   | SS        | 177     | 177       | 0         | 7487    | 2922      | -4565     | -       | -         | 0           | 0           | 0           | 0           |
| Bloom/Billet      | N.A       | N.A     | N.A       | -         | -       | -         | N.A       | N.A     | N.A       | 3700        | 6           | 6400        | 7           |
| Saleable Steel    | NonSS/CS  | 17644   | 18597     | 933       | 5124    | 3644      | -1480     | 18620   | 18358     | -262        |             |             |             |
| SS                | -         | -       | -         | 15421     | 16383   | 962       | -         | -       | -         | 17400       | 9           | 25100       | 7           |
| Total Coking Coal |           |         |           |           |         |           |           |         |           | 17400       | 9           | 25100       | 7           |
| CDI               |           |         |           |           |         |           |           |         |           | 7200        | 7200        | 8112        | 10          |
| BF Coke           |           |         |           |           |         |           |           |         |           | 11211       | 0           | 20437       |             |

